



Radium
Die Lichtmarke



Traditional
Lamps

Tarifa PVP

Abril 2022



1



Reference	RADIUM reference	Description technical type	 Energy label	 Lumen	 pcs.	 Origin	 €
1	BA5832	19118592	Classic Drop, Oven, 300°C D 40W/240/300C/F/E14	400	50	CN	3,58

1



Reference	RADIUM reference	Description technical type	 Energy label	 Lumen	 pcs.	 Origin	 €
1	GA4131	19118593	Classic Pear, Oven, 300°C P 15W/230/300C/C/E14	85	100	CN	3,03

1



Reference	RADIUM reference	Description technical type	 Energy label	 Lumen	 pcs.	 Origin	 €
1	-	19218595	Classic Pear P 15W/230/F/E14	90	100	CN	2,13

2



2	GA4130	19218597	Classic Pear P 15W/230/C/E14	90	100	CN	2,56
2	GA4140	19218598	Classic Pear P 25W/230/C/E14	160	100	CN	2,60

1



Reference	RADIUM reference	Description technical type	 Energy label	 Lumen	 pcs.	 Origin	 €
1	LH5100	22319462	Ralopin RJH-PIN 20W/230/C/XE/G9	235	20	DE	3,91
1	LH5130	22319460	Ralopin RJH-PIN 33W/230/C/XE/G9	460	20	DE	3,91
1	LH5160	22318569	Ralopin RJH-PIN 48W/230/C/XE/G9	740	20	DE	4,86
1	LH5190	22318570	Ralopin RJH-PIN 60W/230/C/XE/G9	980	20	DE	4,12

1



	Reference	RADIUM reference	Description technical type	 Energy label	 Lumen	 pcs.	 Origin	 €
1	LH2090	22315792	RJH-TS/-TSK RJH-TS 48W/230/C/XE/R7S		750	20	DE	4,12
1	LH2100	22315793	RJH-TS/-TSK RJH-TS 80W/230/C/XE/R7S		1400	20	DE	4,12
1	LH2130	22315972	RJH-TS/-TSK RJH-TSK 120W/230/C/XE/R7S		2250	20	DE	4,12
1	LH2140	22315795	RJH-TS/-TSK RJH-TS 120W/230/C/XE/R7S		2250	20	DE	4,12
1	LH2150	22315796	RJH-TS/-TSK RJH-TS 160W/230/C/XE/R7S		3100	20	DE	4,12
1	LH2160	22315797	RJH-TS/-TSK RJH-TS 230W/230/C/XE/R7S		5000	20	DE	4,12
1	LH2190	22315799	RJH-TS/-TSK RJH-TS 400W/230/C/XE/R7S		9000	20	DE	4,12
1	-	22315800	RJH-TS/-TSK RJH-TS 400W/240/C/XE/R7S		9000	20	DE	4,12

1



	Reference	RADIUM reference	Description technical type	 Energy label	 Lumen	 pcs.	 Origin	 €
1	-	22315779	RJH-TS RJH-TS 750W/230/C/R7S	C	16500	12	DE	10,29
1	LA2620	22315781	RJH-TS RJH-TS 1000W/230/C/R7S	C	22000	12	DE	10,59
1	LA2630	22317412	RJH-TS RJH-TS 1500W/230/C/R7S	C	33000	12	DE	19,59
1	-	22317409	RJH-TS RJH-TS 2000W/230/C/R7S	C	44000	12	DE	24,41
1	-	22315783	RJH-TS RJH-TS 1000W/240/C/R7S	C	22000	12	DE	10,59
1	LA2631	22317411	RJH-TS RJH-TS 1500W/240/C/R7S	C	33000	12	DE	19,12

1



	Reference	RADIUM reference	Description technical type	 Energy label	 Lumen	 pcs.	 Origin	 €
1	-	22317413	RJL-TS RJL-TS 400W/42/C/R7S	C	9000	12	DE	16,18

1



	Reference	RADIUM reference	Description technical type	 Energy label	 Lumen	 pcs.	 Origin	 €
1	-	22317410	RJH-TS RJH-TS 2000W/230/C/FA4	C	44000	12	DE	26,03

1



	Reference	RADIUM reference	Description technical type	 Energy label	 Lumen	 pcs.	 Origin	 €
1	LA4480	22318333	Pin Skylight IRC RJL 14W/12/SKY/IRC/G4	B	240	40	DE	6,04
2	LA4500	22313223	Pin Skylight IRC RJL 35W/12/SKY/IRC/GY6.35	B	860	40	DE	6,62
2	LA4510	22319449	Pin Skylight IRC RJL 50W/12/SKY/IRC/GY6.35	B	1180	40	DE	6,62
2	LA4520	22314531	Pin Skylight IRC RJL 60W/12/SKY/IRC/GY6.35	B	1650	40	DE	9,26

2



1



	Reference	RADIUM reference	Description technical type	 Energy label	 Lumen	 pcs.	 Origin	 €
1	LA2310	22311198	Pin Skylight RJL 10W/6/SKY/G4 RO	C	110	40	DE	2,00
1	LA2315	22320004	Pin Skylight RJL 10W/12/SKY/G4	C	130	40	DE	1,19
1	LA2320	22320005	Pin Skylight RJL 20W/12/SKY/G4	C	300	40	DE	1,19
2	LA2300	22319372	Pin Skylight RJL 20W/12/SKY/GY6.35	C	290	40	DE	1,59
2	LA2375	22320007	Pin Skylight RJL 35W/12/SKY/GY6.35	C	580	40	DE	1,59
2	LA2341	22319374	Pin Skylight RJL 50W/12/SKY/GY6.35	C	900	40	DE	1,59
2	LA2350	22319376	Pin Skylight RJL 90W/12/SKY/GY6.35	C	1800	40	DE	3,53

2





Reference	RADIUM reference	Description technical type	Energy label	Lumen/cd	pcs.	Origin	€
1 LA7570	22318566	MR16 Mega IRC RJLS 14W/12/IRC/WFL/GU5.3	B	180/480	20	DE	6,09
1 LA7620	22312456	MR16 Mega IRC RJLS 35W/12/IRC/FL/GU5.3	B	620/4100	20	DE	6,09
1 LA7640	22312458	MR16 Mega IRC RJLS 35W/12/IRC/VWFL/GU5.3	B	620/1050	20	DE	6,09
1 LA7720	22312460	MR16 Mega IRC RJLS 50W/12/IRC/FL/GU5.3	B	870/5300	20	DE	6,09
1 LA7730	22312461	MR16 Mega IRC RJLS 50W/12/IRC/WFL/GU5.3	B	870/2850	20	DE	6,09



Reference	RADIUM reference	Description technical type	Energy label	Lumen/cd	pcs.	Origin	€
1 LA7030	22311500	MR16 Mega RJLS 20W/12/MEGA/WFL/GU5.3	B	250/780	20	DE	4,41
1 LA7130	22311506	MR16 Mega RJLS 35W/12/MEGA/WFL/GU5.3	B	550/1500	20	DE	4,41
1 LA7230	22311514	MR16 Mega RJLS 50W/12/MEGA/WFL/GU5.3	B	770/2200	20	DE	4,41



Reference	RADIUM reference	Description technical type	Energy label	Lumen/cd	pcs.	Origin	€
1 LA5011	22310256	MR16 Standard RJLS 20W/12/WFL/GU5.3	B	210/480	20	DE	1,54
1 LA5051	22310257	MR16 Standard RJLS 35W/12/WFL/GU5.3	B	430/1000	20	DE	1,54
1 LA5131	22310258	MR16 Standard RJLS 50W/12/WFL/GU5.3	B	680/1450	20	DE	1,54



Reference	RADIUM reference	Description technical type	Energy label	Lumen/cd	pcs.	Origin	€
1 LA9030	22312454	MR11 Mini-Mega RJLS 35W/12/MEGA/WFL/GU4	B	480/1400	10	DE	5,00



Reference	RADIUM reference	Description technical type	Energy label	Lumen/cd	pcs.	Origin	€
1 DA8160	22313637	AR111 Skylight IRC RJL 35W/12/SKY/IRC/FL/G53	B	440/4200	6	SK	15,53
1 DA8630	22313639	AR111 Skylight IRC RJL 50W/12/SKY/IRC/FL/G53	B	650/5500	6	SK	17,07
1 DA8640	22318199	AR111 Skylight IRC RJL 50W/12/SKY/IRC/WFL/G53	B	650/2000	6	SK	17,09
1 DA8660	22314532	AR111 Skylight IRC RJL 60W/12/SKY/IRC/FL/G53	B	870/7000	6	SK	17,35



Reference	RADIUM reference	Description technical type	Energy label	Lumen/cd	pcs.	Origin	€
1 LA6130	22312217	AR70 Skylight RJL 50W/12/SKY/FL/BA15D	C	510/2600	10	SK	15,22



Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€
1 QA5053	HT070421	HTM HTM 70/230-240			20	IT	27,14
2 QA5059	HT105421	HTM HTM 105/230-240			20	IT	29,94
3 QA5061	HT150421	HTM HTM 150/230-240			10	IT	48,71



Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€
1 HA0550	31315720	Ralux® G23 RX-S 7W/840/G23	B	400	10	IT	3,21
1 HA0560	31319222	Ralux® G23 RX-S 7W/830/G23	B	400	10	IT	3,21
1 HA0600	31315722	Ralux® G23 RX-S 9W/840/G23	A	600	10	IT	3,21
1 HA0610	31318908	Ralux® G23 RX-S 9W/830/G23	A	600	10	IT	3,21
1 HA0650	31316801	Ralux® G23 RX-S 11W/840/G23	A	900	10	IT	3,21
1 HA0660	31318909	Ralux® G23 RX-S 11W/830/G23	A	900	10	IT	3,21

1



Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€
1 HA0552	31300027	Ralux®/E 2G7 RX-S/E 7W/840/2G7	A	400	10	IT	3,03
1 HA0602	31300029	Ralux®/E 2G7 RX-S/E 9W/840/2G7	A	600	10	IT	3,03
1 HA0652	31300031	Ralux®/E 2G7 RX-S/E 11W/840/2G7	A	900	10	IT	3,03

1



Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€
1 HA1100	31319384	Ralux® Long 2G11 RX-L 18W/840/2G11	B	1200	10	IT	5,15
1 HA1110	31315905	Ralux® Long 2G11 RX-L 18W/830/2G11	B	1200	10	IT	5,15
1 HA1200	31315521	Ralux® Long 2G11 RX-L 24W/840/2G11	A	1800	10	IT	5,32
1 HA1210	31316117	Ralux® Long 2G11 RX-L 24W/830/2G11	A	1800	10	IT	5,31
1 HA1300	31315522	Ralux® Long 2G11 RX-L 36W/840/2G11	A	2900	10	IT	5,68
1 HA1310	31316119	Ralux® Long 2G11 RX-L 36W/830/2G11	A	2900	10	IT	5,68
1 HA1340	31311345	Ralux® Long 2G11 RX-L 55W/840/2G11	A	4800	10	IT	5,93
1 HA1341	31311467	Ralux® Long 2G11 RX-L 55W/830/2G11	A	4800	10	IT	5,94
1 HA1358	31313852	Ralux® Long 2G11 RX-L 80W/830/2G11 RO	A	6500	10	IT	11,62

1



Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€
1 HA0750	31316918	Ralux® Duo G24d RX-D 10W/840/G24D	B	600	10	IT	3,41
1 HA0760	31318910	Ralux® Duo G24d RX-D 10W/830/G24D	B	600	10	IT	3,41
1 HA0800	31316919	Ralux® Duo G24d RX-D 13W/840/G24D	A	900	10	IT	3,41
1 HA0810	31318911	Ralux® Duo G24d RX-D 13W/830/G24D	A	900	10	IT	3,41
1 HA0880	31313610	Ralux® Duo G24d RX-D 18W/865/G24D	B	1140	10	IT	3,41
1 HA0850	31316920	Ralux® Duo G24d RX-D 18W/840/G24D	B	1200	10	IT	3,41
1 HA0860	31318912	Ralux® Duo G24d RX-D 18W/830/G24D	B	1200	10	IT	3,41
1 HA0990	31313613	Ralux® Duo G24d RX-D 26W/865/G24D	B	1710	10	IT	3,41
1 HA1000	31316921	Ralux® Duo G24d RX-D 26W/840/G24D	A	1800	10	IT	3,41
1 HA1010	31318803	Ralux® Duo G24d RX-D 26W/830/G24D	A	1800	10	IT	3,41

1



Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€
1 HA0755	31311140	Ralux® Duo/E G24Q RX-D/E 10W/840/G24Q	A	600	10	CN	3,36
1 HA0805	31311141	Ralux® Duo/E G24Q RX-D/E 13W/840/G24Q	A	900	10	CN	3,36
1 HA0815	31312023	Ralux® Duo/E G24Q RX-D/E 13W/830/G24Q	A	900	10	CN	3,36
1 HA0855	31311129	Ralux® Duo/E G24Q RX-D/E 18W/840/G24Q	A	1200	10	CN	3,36
1 HA0856	31311486	Ralux® Duo/E G24Q RX-D/E 18W/830/G24Q	A	1200	10	CN	3,36
1 HA1005	31311142	Ralux® Duo/E G24Q RX-D/E 26W/840/G24Q	A	1800	10	CN	3,36
1 HA1011	31311487	Ralux® Duo/E G24Q RX-D/E 26W/830/G24Q	A	1800	10	CN	3,36

1



Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€
1	HA1360 31311240	Ralux® Twin 2G10 RX-TW 24W/840/2G10	A	1700	10	CN	16,62
1	HA1361 31311241	Ralux® Twin 2G10 RX-TW 24W/830/2G10	A	1700	10	CN	16,62
1	HA1370 31311045	Ralux® Twin 2G10 RX-TW 36W/840/2G10	A	2800	10	CN	17,23
1	HA1371 31311046	Ralux® Twin 2G10 RX-TW 36W/830/2G10	A	2800	10	CN	17,23

1



Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€
1	HA4002 31311244	Ralux® Trio GX24d RX-T 18W/840/GX24D	B	1200	10	CN	7,68
1	HA4012 31311247	Ralux® Trio GX24d RX-T 26W/840/GX24D	B	1800	10	CN	7,68

1



Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€
1	HA4193 31311250	Ralux® Trio/E GX24q RX-T/E 18W/840/GX24Q	A	1200	10	CN	7,31
1	HA4205 31311251	Ralux® Trio/E GX24q RX-T/E 18W/830/GX24Q	A	1200	10	CN	7,31
1	HA4214 31311253	Ralux® Trio/E GX24q RX-T/E 26W/840/GX24Q	A	1800	10	CN	7,31
1	HA4215 31311254	Ralux® Trio/E GX24q RX-T/E 26W/830/GX24Q	A	1800	10	CN	7,31
1	HA4222 31311490	Ralux® Trio/E GX24q RX-T/E 32W/840/GX24Q	A	2400	10	CN	7,31
1	HA4225 31311491	Ralux® Trio/E GX24q RX-T/E 32W/830/GX24Q	A	2400	10	CN	7,31
1	HA4232 31312025	Ralux® Trio/E GX24q RX-T/E 42W/840/GX24Q	A	3200	10	CN	8,31
1	HA4235 31312026	Ralux® Trio/E GX24q RX-T/E 42W/830/GX24Q	A	3200	10	CN	8,31

1



Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€
1	TA8125 31118113	T5 Bonalux® NL-T5 14W/865/G5	A+	1100/1300	10	CN	3,24
1	TA8124 31118214	T5 Bonalux® NL-T5 14W/840/G5	A+	1200/1350	10	CN	3,24
1	TA8123 31114241	T5 Bonalux® NL-T5 14W/830/G5	A+	1200/1350	20	IT	3,24
1	TA8125 31114242	T5 Bonalux® NL-T5 21W/865/G5	A+	1750/2000	20	IT	3,38
1	TA8134 31118506	T5 Bonalux® NL-T5 21W/840/G5	A+	1900/2100	20	CN	3,38
1	TA8133 31114252	T5 Bonalux® NL-T5 21W/830/G5	A+	1900/2100	10	IT	3,38
1	TA8145 31114253	T5 Bonalux® NL-T5 28W/865/G5	A+	2400/2750	20	CN	3,38
1	TA8144 31119579	T5 Bonalux® NL-T5 28W/840/G5	A+	2600/2900	20	CN	3,38
1	TA8143 31114255	T5 Bonalux® NL-T5 28W/830/G5	A+	2600/2900	20	CN	3,38
1	TA8155 31114256	T5 Bonalux® NL-T5 35W/865/G5	A+	3050/3500	20	CN	3,68
1	TA8154 31114257	T5 Bonalux® NL-T5 35W/840/G5	A+	3320/3650	20	CN	3,68
1	TA8153 31114258	T5 Bonalux® NL-T5 35W/830/G5	A+	3320/3650	20	CN	3,68

1



								
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1	TA8224	31118703	T5 Bonalux® Super NL-T5 24W/840/G5	A	1750/2000	20	CN	3,24
1	TA8223	31119266	T5 Bonalux® Super NL-T5 24W/830/G5	A	1750/2000	20	CN	3,24
1	TA8234	31119267	T5 Bonalux® Super NL-T5 39W/840/G5	A+	3100/3500	20	CN	3,38
1	TA8233	31119269	T5 Bonalux® Super NL-T5 39W/830/G5	A+	3100/3500	20	IT	3,38
1	TA8244	31114235	T5 Bonalux® Super NL-T5 49W/840/G5	A+	4310/4900	20	CN	3,53
1	TA8243	31114229	T5 Bonalux® Super NL-T5 49W/830/G5	A+	4310/4900	20	CN	3,53
1	TA8255	31114266	T5 Bonalux® Super NL-T5 54W/865/G5	A	4100/4750	20	CN	3,53
1	TA8254	31114267	T5 Bonalux® Super NL-T5 54W/840/G5	A+	4450/5000	20	CN	3,53
1	TA8253	31114268	T5 Bonalux® Super NL-T5 54W/830/G5	A+	4450/5000	20	CN	3,53
1	TA8262	31114269	T5 Bonalux® Super NL-T5 80W/865/G5	A	5700/6650	20	CN	4,26
1	TA8264	31114270	T5 Bonalux® Super NL-T5 80W/840/G5	A	6150/7000	20	CN	4,26
1	TA8263	31114271	T5 Bonalux® Super NL-T5 80W/830/G5	A	6150/7000	20	CN	4,26

1



								
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1	TA0271	31118162	T5 Spectralux® NL-T5 8W/840/G5	A	430	25	IT	4,69
1	TA0270	31111983	T5 Spectralux® NL-T5 8W/827/G5 RO	A	430	25	IT	5,56
1	TA0350	31111984	T5 Spectralux® NL-T5 13W/827/G5 RO	A	950	25	IT	5,56

1



								
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1	TA0020	31118125	T5 Standard-Lampen NL-T5 4W/640/G5	B	140	25	CN	2,99
1	TA0120	31118158	T5 Standard-Lampen NL-T5 6W/640/G5	A	270	25	CN	2,77
1	TA0220	31118160	T5 Standard-Lampen NL-T5 8W/640/G5	A	385	25	CN	2,76
1	TA0340	31110328	T5 Standard-Lampen NL-T5 13W/640/G5	A	830	25	IT	3,80

1



								
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1	TA8270	31213233	T5 Bonalux® Ring NL-T5 22W/840C/2GX13	A	1800	12	IT	22,48
1	TA8300	31218622	T5 Bonalux® Ring NL-T5 40W/840C/2GX13	A+	3400	12	IT	19,89
1	TA8330	31218640	T5 Bonalux® Ring NL-T5 55W/840C/2GX13	A	4200	12	CN	20,79

1



								
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1	TA3032	31218361	T9 Spectralux Ring NL-T9 22W/840C/G10Q	A	1350	12	CN	14,95
1	TA4511	31218363	T9 Spectralux Ring NL-T9 32W/840C/G10Q	A	2250	12	CN	15,81
1	TA5922	31218365	T9 Spectralux Ring NL-T9 40W/840C/G10Q	A	3200	12	CN	17,95

1



								
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1	TA5471	31114123	T8 Skylux Spectralux® Plus NL-T8 36W/880/G13	A	3000	25	DE	6,85
1	TA7525	31114124	T8 Skylux Spectralux® Plus NL-T8 58W/880/G13	A	4900	25	DE	7,88

1



Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1 TA0900	31513102	T8 Spectralux® Plus NL-T8 15W/840/G13 RO	A	950	25	RU	-	
1 TA0860	31510821	T8 Spectralux® Plus NL-T8 15W/840/G13 RO	A	950	25	RU	-	
1 TA1264	31119221	T8 Spectralux® Plus NL-T8 18W/865/G13	A	1300	25	RU	2,50	
1 TA1260	31109313	T8 Spectralux® Plus NL-T8 18W/840/G13	A	1350	25	RU	2,50	
1 TA1250	31119465	T8 Spectralux® Plus NL-T8 18W/830/G13	A	1350	25	RU	3,29	
1 TA3426	31512919	T8 Spectralux® Plus NL-T8 30W/840/G13	A	2400	25	RU	8,40	
1 TA3424	31518151	T8 Spectralux® Plus NL-T8 30W/830/G13	A	3400	25	RU	-	
1 TA3410	31119104	T8 Spectralux® Plus NL-T8 36W/865/G13	A	3250	25	RU	2,71	
1 TA4640	31119466	T8 Spectralux® Plus NL-T8 36W/840/G13	A	3350	25	RU	2,71	
1 TA4645	31114512	T8 Spectralux® Plus NL-T8 36W/840-1/G13	A	3100	25	RU	8,41	
1 TA4630	31119467	T8 Spectralux® Plus NL-T8 36W/830/G13	A	3350	25	RU	2,71	
1 TA5618	31113514	T8 Spectralux® Plus NL-T8 38W/840/G13	A	3300	25	RU	5,00	
1 TA7594	31119103	T8 Spectralux® Plus NL-T8 58W/865/G13	A	5000	25	RU	3,29	
1 TA7590	31109322	T8 Spectralux® Plus NL-T8 58W/840/G13	A	5200	25	RU	3,29	
1 TA7580	31109401	T8 Spectralux® Plus NL-T8 58W/830/G13	A	5200	25	RU	3,29	

1



Reference	RADIUM reference	Description technical type	pcs.	Origin	€
1 TA9490	52210849	Safety Starter RS 71	200	IT	2,79
1 TA9520	52210850	Safety Starter RS 72	200	IT	4,97

1



Reference	RADIUM reference	Description technical type	pcs.	Origin	€
1 TA9470	52220102	Starter RS 11	400	CN	0,58
1 TA9460	52200711	Starter RS 51	400	CN	0,62

1



Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1 LA2102	32419474	RCC® - TS RCI-TS 70W/NDL/230/RX7S	A+	6200	12	HU	27,96	
1 LA2101	32419473	RCC® - TS RCI-TS 70W/WDL/230/RX7S	A+	7000	12	HU	27,96	
1 LA2122	32419475	RCC® - TS RCI-TS 150W/NDL/230/RX7S	A+	12500	12	HU	27,96	
1 LA2121	32420042	RCC® - TS RCI-TS 150W/WDL/230/RX7S	A+	14500	12	HU	27,96	

1



Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1 LA2060	32419682	RCC® - TC RCI-TC 20W/WDL/230/G8.5	A	1650	12	HU	23,24	
1 LA2075	32419679	RCC® - TC RCI-TC 35W/NDL/230/G8.5	A	3200	12	HU	23,24	
1 LA2070	32419678	RCC® - TC RCC-TC 35W/WDL/230/G8.5	A+	4000	12	HU	23,24	
1 LA2085	32419681	RCC® - TC RCI-TC 70W/NDL/230/G8.5	A+	6200	12	HU	23,24	
1 LA2080	32419680	RCC® - TC RCC-TC 70W/WDL/230/G8.5	A+	7800	12	HU	23,24	

1



								
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1	LA1580	32416569	HRI -TS Standard HRI-TS 2000W/D/400/E40	A+	180000	4	DE	247,06



1



								
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1	LA2105	32418898	HRI-T HRI-T 70W/NDL/230/G12	A	5800	10	SK	47,19
1	LA2116	32418899	HRI-T HRI-T 70W/WDL/230/G12	A	5300	10	SK	46,61
1	LA2123	32418900	HRI-T HRI-T 150W/NDL/230/G12	A	13000	10	SK	44,02
1	LA2125	32418901	HRI-T HRI-T 150W/WDL/230/G12	A	13000	10	SK	55,59



1



								
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1	LA1510	32418882	HRI -T Standard/ Pro HRI-T 250W/D/PRO/230/E40	A	19000	12	SK	43,69
1	LA1520	32418883	HRI -T Standard/ Pro HRI-BT 400W/D/PRO/230/E40	A	34000	12	SK	42,04
1	LA1540	32416565	HRI -T Standard/ Pro HRI-T 1000W/D/230/E40	A	85000	6	DE	150,00
1	LA1590	32416652	HRI -T Standard/ Pro HRI-T 2000W/D/I/400/E40	A	180000	4	DE	188,24
2	LA1570	32416650	HRI -T Standard/ Pro HRI-T 2000W/N/I/400/E40	A+	200000	4	DE	188,24
1	LA1571	32416653	HRI -T Standard/ Pro HRI-T 2000W/D/400/E40	A	180000	6	DE	188,24



2



1



								
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1	LA1810	32418885	HRI -E Pro HRI-E 250W/D/PRO/230/E40	A	18000	12	SK	41,18
1	LA1820	32418884	HRI -E Pro HRI-E 400W/D/PRO/230/E40	A	34000	12	SK	41,71



1



							
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€
1	32416606	HRI -T.../NSc HRI-T 400W/NSC/S/230/E40	A+	40000	12	DE	42,66
1	32416659	HRI -T.../NSc HRI-T 1000W/NSC/230/E40	A+	110000	6	DE	158,82
2	LA1572	32416651 HRI -T.../NSc HRI-T 2000W/NSC/400/E40	A+	245000	4	DE	191,18



2



1



EL G + A Im WOW WOW WOW WOW O PVP								
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1	32416605	HRI® -E.../Sc HRI-E 400W/NSC/S/230/C/E40	A+	42000	12	DE	44,65	
1	LA1830	32416601	HRI® -E.../Sc HRI-E 1000W/NSC/230/C/E40	A+	110000	6	DE	173,53



1



Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€
1	32416604	HRI® -E.../Sc HRI-E 400W/NSC/S/230/F/E40	A+	40000	12	DE	44,41
1	32416584	HRI® -E.../Sc HRI-E 1000W/NSC/230/F/E40	A+	100000	6	DE	173,53



1



								
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1	LA1513	32416552	HRI -T blue HRI-T 250W/230/B/E40	B	7500	12	DE	79,41
1	LA1523	32416555	HRI -T blue HRI-T 400W/230/B/E40	C	8700	12	DE	79,41



1



								
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1	LA1120	34411782	RNP-TS/LR Super RNP-TS/LR 70W/S/230/RX7S	A+	6600	12	SK	47,65
1	LA1130	34411080	RNP-TS/LR Super RNP-TS/LR 150W/S/230/RX7S	A+	15000	12	SK	47,35

1



								
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1	LA0801	34411050	RNP-T/LR Super RNP-T/LR 50W/S/230/E27	A	4200	12	CN	11,82
1	LA0981	34415211	RNP-T/LR Super RNP-T/LR 70W/S/230/E27	A+	6600	12	CN	11,82
1	LA0990	34410170	RNP-T/LR Super RNP-T/LR 100W/S/230/E40	A+	10700	12	CN	15,61
1	LA1014	34410738	RNP-T/LR Super RNP-T/LR 150W/S/230/E40	A+	17500	12	CN	18,32
1	LA1031	34410739	RNP-T/LR Super RNP-T/LR 250W/S/230/E40	A+	33200	12	CN	22,15
1	LA1059	34411127	RNP-T/LR Super RNP-T/LR 400W/S/230/E40	A++	56500	12	CN	26,72
1	LA1070	34411907	RNP-T/LR Super RNP-T/LR 600W/S/230/E40	A++	90000	12	CN	36,81

1



								
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1	LA1060	34404708	RNP-T Super RNP-T 1000W/230/E40	A++	130000	12	DE	85,29

1



								
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1	LA0810	34418951	RNP-E/LR Super RNP-E/LR 50W/S/230/E27	A	4000	24	CN	14,71
1	LA0823	34418952	RNP-E/LR Super RNP-E/LR 70W/S/230/E27	A+	6300	24	CN	16,35
1	LA0842	34410734	RNP-E/LR Super RNP-E/LR 100W/S/230/E40	A+	10400	12	CN	16,92
1	LA0850	34418953	RNP-E/LR Super RNP-E/LR 150W/S/230/E40	A+	17000	12	CN	23,06
1	LA0870	34418954	RNP-E/LR Super RNP-E/LR 250W/S/230/E40	A+	31600	12	CN	26,47
1	LA0890	34418955	RNP-E/LR Super RNP-E/LR 400W/S/230/E40	A++	56500	12	CN	26,47

1



								
Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€	
1	LA0811	34418915	RNP-E .../I RNP-E 50W/I/230/E27	A	3600	24	SK	13,30
1	LA0822	34414712	RNP-E .../I RNP-E 70W/I/230/E27	A	5900	24	CN	15,61

1



							
Reference	RADIUM reference	Description technical type	Energy label	cd	pcs.	Origin	€
1	26109210	Signal lamps for navigation lights, E shape SN-T 10W/1212U/12/BAY15D		12	100	DE	10,15
1	26109213	Signal lamps for navigation lights, E shape SN-T 10W/2412U/24/BAY15D		12	100	DE	10,15
1	26109215	Signal lamps for navigation lights, E shape SN-T 25W/1230U/12/BAY15D		30	100	DE	10,15
1	ZA0010 26109220	Signal lamps for navigation lights, E shape SN-T 25W/2430U/24/BAY15D		30	100	DE	10,15

1



Reference	RADIUM reference	Description technical type	 Energy label	 cd	 pcs.	 Origin	 €
1	26122916	Signal lamps for navigation lights, B shape SN-T 60W/1150C/110/P28S		50	100	DE	15,29

								
	Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€
	1	24418109	Halogen lamps for airfield lighting RHA 100W/6,6A/R7S		2000	25	DE	31,06
	1	XA5320 24401619	Halogen lamps for airfield lighting RHA 200W/6,6A/R7S		4400	25	DE	31,94
	2	24424812	Halogen lamps for airfield lighting RHA 200W/6,6A/L		4400	25	DE	33,40
	1	24413713	Halogen lamps for airfield lighting RHA 200W/8,33A/R7S		4400	25	DE	41,60



								
	Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€
1	1	11411067	High pressure, low voltage-traffic lamps SVA-NUE 20W/10/BA20S		270	200	-	



								
	Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€
1	1	11419660	Traffic lamps with krypton, Longlife SVA-K LL 40W/230-240/C/E27 RO			60	FR	-
	1	11419361	Traffic lamps with krypton, Longlife SVA-K LL 75W/230-240/C/E27 RO			60	FR	-



								
	Reference	RADIUM reference	Description technical type	Energy label	Lumen	pcs.	Origin	€
1	1	11413921	Traffic lamps with krypton SVA-K 60W/230-240/C/E27		380	100	FR	-
	1	ZA0010 11411060	Traffic lamps with krypton SVA-K 75W/230-240/C/E27		520	100	FR	-



Radium
Die Lichtmarke

Radium Lampenwerk GmbH

Dr.-Eugen-Kersting-Str. 6
51688 Wipperfürth
Germany

Telefon +49 (0) 2267 811
Telefax +49 (0) 2267 81353

radium@radium.de
www.radium.de

Gelesa Iluminación

C / Sierra de Guadarrama 86
28830 San Fernando de Henares

Teléfono +34 91 358 22 15
Fax +34 91 358 02 78

info@gelesa.com
www.gelesa.com